
2019 VEHICLE LUBRICANT & CHEMICAL CATALOGUE







ORDERING INFORMATION

All Mopar_e vehicle care and maintenance products may be ordered via the normal Mopar Parts ordering functions on DealerCONNECT.

Mopar vehicle care and maintenance products are stocked at Mopar Parts Distribution Centers (PDC) and also SSD/Supplier Ship Direct.

The Workplace Hazardous Materials Information System (WHMIS) is Canada's hazard communication standard. The key elements of the system are cautionary labelling of containers of WHMIS "controlled products," the provision of material safety data sheets (MSDSs) and worker education programs. WHMIS is implemented through coordinated federal, provincial and territorial legislation. Supplier labelling and MSDS requirements are set out under the Hazardous Products Act and associated Controlled Products Regulations. The Hazardous Products Act and its regulations are administered by the Government of Canada Department of Health, commonly referred to as Health Canada. The Controlled Products Regulations establish a national standard for the classification of hazardous workplace materials. In addition to setting out criteria for biohazards, chemical and acute hazards, the regulations specify criteria for chronic health hazards including mutagenicity, carcinogenicity, embryo and reproductive toxicity, respiratory tract and skin sensitization. Each of the thirteen provincial, territorial and federal agencies responsible for occupational safety and health have established employer WHMIS requirements within their respective jurisdiction. These requirements place an onus on employers to ensure that controlled products used, stored, handled or disposed of in the workplace are properly labelled, MSDSs are made available to workers, and workers receive education and training to ensure the safe storage, handling and use of controlled products in the workplace. WHMIS balances workers' right-to-know with industry's right to protect confidential business information and includes a mechanism for ruling on claims for exemption from disclosure of confidential business information as well as appeals to these rulings. Workers who may be exposed to hazardous materials in their jobs must receive training regarding the hazards of these materials and the WHMIS system. The employer must ensure so far as is reasonably practicable that the instruction and training provided to a worker results in the worker being able to apply the information as needed to protect the worker's health and safety. The primary objective of the training program is to ensure that workers understand the hazards of the materials they are exposed to, and the measures they should take to protect themselves. In order to achieve this objective, instructors must be knowledgeable of the processes and hazards of the workplace, and the WHMIS ments.

For a summary of the WHMIS employer requirements, please go to: http://www.hrsdc.gc.ca/en/lp/lo/opd-ipg/opd/985-1.shtml http://www.hc-sc.gc.ca/ewh-semt/occup-travail/whmis-simdut/indexeng.php Mopar recognizes that hazardous materials pose a risk to health, safety and the environment when being transported. Mopar strictly complies with all WHMIS Regulations to ensure both a high level of security and employee safety when shipping our products. Mopar's commitment to WHMIS compliance includes providing the appropriate packaging and labelling to ensure proper shipping of our products.

It is important that you understand your responsibilities as an employer/shipper and the consequences of failing to comply with federal WHMIS Regulations when shipping or returning vehicle parts and maintenance products to Mopar. By strictly adhering to requirements, you will be able to safely and properly ship any returned parts or maintenance products to Mopar. For more information on compliance requirements, please visit the WHMIS Website at: http://www.hc-sc.gc.ca/ewh-semt/occup-travail/whmissimdut/index-eng.php

DealerCONNECT ACCESS TO MATERIAL SAFETY DATA SHEETS

DealerCONNECT Interactive Access to Material Safety Data Sheets (MSDS) allows for quick and easy retrieval of an MSDS for any potentially hazardous part. The following procedure is designed to guide you through the basic steps for interactively accessing a Material Safety Data Sheet (MSDS) through DealerCONNECT.

- Log on to DealerCONNECT using https://dealerconnect.chrysler.com.
- From the DealerCONNECT welcome screen, sign on with your Dealer ID, Password and Dealer Code, then press the [SUBMIT] key.
- 3. From the DealerCONNECT homepage, click on the [PARTS] tab.
- From the Parts page, click on the [MSDS] link under the Reference Library.
- Type in the Part Number on the MSDS inquiry screen and click on the [SEARCH] key.
- Select the appropriate product and click on the [DISPLAY MSDS] key.

TO PRINT AN MSDS:

Once the MSDS sheet is displayed, click on the **[PRINTER]** icon on the toolbar to print.

CONTROL INFORMATION

For 24-hour poison control information, call the Security Information Center (248) 576-8888.

CATALOGUE ACRONYMS

| 4WD | Four Wheel Drive | PAG | Polyalkaline Glycol |
|-----|------------------------------|-----|---------------------------------|
| A/C | Air Conditioning | PCV | Positive Crankcase Ventilation |
| ATF | Automatic Transmission Fluid | RTV | Room Temperature Vulcanization |
| EGR | Exhaust Gas Recirculation | SAE | Society of Automotive Engineers |
| FI | Fluid | TCE | Trichloroethylene |
| mL | Millilitre | UV | Ultraviolet |
| MSQ | Minimum Ship Quantity | VOC | Volatile Organic Compound |
| Oz. | Ounce | | |

ALPHABETICAL INDEX

| 4 in 1 leak Data -ti Di | the state of the s | NUMBER | NO. |
|---|--|------------|-----|
| 4-in-1 Leak Detection Dye | 7.39 mL Bottles | 05010042AC | 9 |
| 50/50 Prediluted Antifreeze/Coolant 10-Year/240,000-KM | 3.785 L Bottle | 68175339AC | 10 |
| Antifreeze/Coolant 3-Year Formula - Embittered | 3.78 L Bottle | 0VU01233AB | 10 |
| Antifreeze/Coolant 5-Year/250,000-KM - Embittered | 3.78 L Bottle | 0VU01524AC | 10 |
| Anti-Squeak Tape | _ | 05019054AA | 27 |
| ASRC™ ATF | 946 mL Bottle | 05189966AD | 15 |
| ASRC™ ATF | 3.785 L Bottle | 05189977AB | 15 |
| ATF+4® | 208.2 L Drum | 68218054CB | 15 |
| ATF+4 | 946 mL Bottle | 68218057CC | 15 |
| ATF+4 | 5 L Bottle | 68218058CC | 15 |
| ATF-RTV | 85 G Tube | 05010884AD | 24 |
| Axle-RTV | 85 G Tube | 05013477AD | 24 |
| Bond-All Gel | 3 mL Tube | 04467709AB | 26 |
| Brake & Clutch Fluid Dot 4 Motor Vehicle | 500 mL Bottle | 0BF00016AB | 20 |
| Brake & Parts Cleaner Non-Chlorinated | 390 G Aerosol Can | 0VU01497AC | 22 |
| Brake & Parts Cleaner Non-Chlorinated | 20 L Pail | 0VU01502AB | 22 |
| Brake Lubricant | 50 G Tube | 04796269AB | 21 |
| Bug & Tar Remover | 946 mL Can | 0MS00121 | 28 |
| Butyl Tape | 4' Roll | 04076274AB | 25 |
| C Series DDCT SAE 75W Hydraulic Fluid | 946 mL Bottle | 68092638AB | 18 |
| C Series Manual & Dual Dry Clutch Transmission Fluid | 946 mL Bottle | 68092630AA | 18 |
| C Series Manual & Dual Dry Clutch Transmission Fluid | 3.785 L Bottle | 68092636AA | 18 |
| Carpet Cleaner | 510 G Aerosol Can | 05175050AB | 30 |
| Chrome Cleaner | 473 mL Bottle | 04318013AD | 28 |
| Cloth Top Cleaner Concentrate | 473 mL Bottle | 05012245AD | 29 |
| Cloth Top Treatment | 473 mL Trigger Spray Bottle | 05012246AC | 29 |
| Combustion Chamber Cleaner | 385 G Aerosol Can | 0VU00788AB | 22 |
| Combustion Chamber Cleaner | 500 G Aerosol Can | 0VU01788AB | 22 |
| Concentrate Antifreeze/Coolant 10-Year/240,000-KM | 3.785 L Bottle | 68175338AC | 10 |
| Coolant Leak Detection Dye | 29.6 mL Bottle | 05161618AC | 9 |
| Cooling Coil Cleaner | 236 mL Bottle | 05170022AB | 12 |
| Cooling Coil Coating | 236 mL Bottle | 04728942AC | 12 |
| Cooling System Flush | 650 mL Bottle | 04856977AC | 11 |
| Cooling System Tune-Up Kit | 3-350 mL Bottle | 0VU01282 | 11 |
| Corrosion Inhibitor | 141.7 G Spray Can | 05179671AA | 31 |
| CVTF+4® Transmission Fluid | 946 mL Bottle | 05191184AA | 15 |
| CVTF+4 Transmission Fluid | 3.785 L Bottle | 05191185AC | 15 |
| Dielectric Grease | 56 G Tube | J8126688AB | 21 |
| Diesel Exhaust Fluid | 3.785 L Bottle | 68035704AC | 16 |
| DIOUGI EAHAGE I IUIU | 0.703 L DULLIE | 30003704AC | 10 |

| ІТЕМ | SIZE | PART Number | PAGE NO. |
|---|-------------------------|----------------|-------------|
| Diesel Injector Cleaner | 888 mL Bottle | 68194640AB | 7 |
| Diesel Turbocharger Cleaner | 396 G Aerosol Can | 68044565AB | 24 |
| Dispenser for Bag-In-Box | 1 Dispenser | 04897618AB | 27 |
| DOT 3 Brake Fluid | 20 L Drum | 0BF00013AB | 20 |
| DOT 3 Brake Fluid | 350 mL Bottle | 0BF00014AB | 20 |
| DOT 3 Brake Fluid | 4 L Bottle | 0BF00015AB | 20 |
| EGR System Cleaner | 1 L Bottle | 68028729AB | 24 |
| Electric Steering Pump Fluid | 473 mL Bottle | 68088485AB | 20 |
| Electrical Contact Cleaner | 275 G Aerosol Can | 0VU01534AB | 22 |
| Engine Sealant RTV Silicone Rubber Adhesive | 85 G Tube | 04883971AC | 24 |
| Engine Shampoo | 20 L Pail | 0VU01070AD | 30 |
| Engine Shampoo | 475 G Aerosol Can | 0VU01443AB | 30 |
| Fabric Protector | 473 mL Bottle | 0MS01001AB | 32 |
| Foam Tape | _ | 05019056AA | 27 |
| Foam Tape | _ | 05019058AA | 27 |
| Fuel Injector Cleaner | 250 mL Bottle | 0VU01426AB | 8 |
| Fuel System Cleaner | 340 Gram Aerosol Can | 0VU01535AB | 7 |
| Fuel System Cleaner Application Tool | | 0VU01441 | 7 |
| Fuel System Treatment | 250 mL Bottle | 0VU01246AB | 8 |
| Gasket Maker | 50 G Tube | 04318083AC | 25 |
| Gasket Sealant | 255 G Aerosol Can | 04318035AC | 25 |
| Gear & Axle Lubricant SAE 80W-90 | 60 L Drum | 68218043CA | 17 |
| Gear & Axle Lubricant SAE 80W-90 | 946 mL Bottle | 68218041CB | 17 |
| Gear Marking Compound | 118 mL | 04883065AB | 23 |
| General Purpose High-Temp Wheel Bearing Grease | 400 G Cartridge | 0VU01418 | 21 |
| Glass Cleaner | 651 mL Bottle | 0MS00120 | 31 |
| Glass Cleaner | 525 G Aerosol Can | 0VU01202AB | 31 |
| Hand Cleaner/Natural Citrus | 3.785 L Bottle | 82300022AB | 27 |
| Hydraulic System Power Steering Fluid | 946 mL Bottle | 68234631AA | 20 |
| Jeep _® Soft Glass Window Cleaner | 473 mL Bottle | 05012248AD | 28 |
| Leather and Vinyl Protector | 118 mL Bottle | 0MS01004AB | 32 |
| Limited Slip Additive | 120 mL Bottle | 04318060AD | 19 |
| Lock & Seal Adhesive | 6 mL Tube | 04318031AB | 25 |
| Manual Transmission Lubricant | 946 mL Bottle | 04874464AB | 18 |
| MB236.12 Automatic Transmission Fluid | 946 mL Bottle | 05127382AB | 15 |
| Multi-Purpose Grease | 411 G Cartridge | 05083150AA | 21 |
| Multi-Purpose Liquid Floor Cleaner | 20 L | 0VU01268AC | 31 |

ALPHABETICAL INDEX

| ІТЕМ | SIZE | PART NUMBER | PAGE NO. |
|---|-------------------------|----------------|-------------|
| Multi-Purpose Lube | 175 G Aerosol Can | 0VU01463AB | 23 |
| ND-OIL 8 A/C Compressor Oil PAG Type | 250 mL Can | 82300102AC | 12 |
| ND-12 Compressor Oil | 210 mL Can | 68224150AB | 12 |
| Nickel Anti-Seize Lubricant | 454 G Bottle | 05012249AC | 23 |
| Nye® Dielectric Grease | 56 G Tube | 05013781AA | 21 |
| Oil Lubricant | _ | 05019059AB | 27 |
| Output Shaft Assembly Lubricant | 50 G Tube | 68002256AB | 21 |
| Paint Sealant | 103.5 mL Bottle | 0MS01000AB | 32 |
| Pennzoil® SAE 0W-20 Platinum Full Synthetic | 946 mL Bottle | 68152004CA | 13 |
| Pennzoil SAE 5W-20 Platinum Full Synthetic | 946 mL Bottle | 05166240CB | 13 |
| Pennzoil SAE 5W-20 Platinum Full Synthetic | 5 L Bottle | 68224343CB | 13 |
| Pennzoil SAE 5W-20 Platinum Full Synthetic | 208.2 L Drum | 68146832CA | 13 |
| Pennzoil SAE 5W-30 Platinum Full Synthetic | 946 mL Bottle | 05166241CA | 13 |
| Pennzoil SAE 5W-30 Platinum Full Synthetic | 5 L Bottle | 68224344CB | 13 |
| Pennzoil SAE 10W-30 Platinum Full Synthetic | 946 mL Bottle | 05166242CA | 13 |
| Pennzoil SAE 10W-30 Platinum Full Synthetic | 5 L Bottle | 68224345CB | 13 |
| Pennzoil Ultra Euro L 5W-30 Full Synthetic | 946 mL Bottle | 68001334CB | 13 |
| Pennzoil Ultra SAE 5W-40 European Formula Full Synthetic | 946 mL Bottle | 05127394CD | 13 |
| Pennzoil Ultra SAE 0W-40 Full Synthetic | 946 mL Bottle | 68171066CB | 13 |
| Penetrating Fluid | 290 G Aerosol Can | 0VU00100AB | 23 |
| Phosphate-Free Car Wash | 14 Lb. Pail (Powder) | 04883967AB | 30 |
| Power Steering Fluid +4 | 946 mL Bottle | 68218064AC | 20 |
| Premium Diesel Fuel Treatment | 325 mL Bottle | 05191800AB | 8 |
| Premium Fuel System Cleaning Kit | 1 Kit | 0VU01440AB | 7 |
| Premium Fuel System Service Kit | 1 Kit | 0VU01532 | 8 |
| Premium Windshield Washer Solvent/De-Icer | 1.892 L Bottle | 05139803AB | 30 |
| R-134a Leak Detection Dye | 7.39 mL Bottles | 04798219AC | 9 |
| Rain Repellant Windshield Washer Fluid | 1.892 L Bottle | 05139804AB | 30 |
| Rear Axle Lubricant | 1 L Bottle | 68083381AA | 17 |
| Rearview Mirror Adhesive | .06 mL Kits | 05015983AD | 27 |
| RL-897 A/C Compressor Oil PAG Type | 210 mL Can | 68170681AB | 12 |
| Rustproofing | 917 mL Bottle | 0MS01003AB | 32 |
| SAE 0W-20 Mopar _® Max Pro Plus | 946 mL Bottle | 68218950CB | 14 |
| SAE 0W-20 Mopar Max Pro Plus | 5 L Bottle | 68218951CB | 14 |
| SAE 0W-20 Mopar Max Pro Plus | 208.2 L Drum | 68218952CA | 14 |
| SAE 0W-30 Mopar Engine Oil | 946 mL Bottle | 68444159CA | 14 |
| SAE 10W-30 Mopar Engine Oil | 946 mL Bottle | 68218930CB | 14 |

| | | PART | PAGE |
|---|--------------------------------|------------|------|
| ITEM | SIZE | NUMBER | NO. |
| SAE 10W-30 Mopar Engine Oil | 5 L Bottle | 68218931CB | 14 |
| SAE 10W-30 Mopar Engine Oil | 208.2 L Drum | 68218932CA | 14 |
| SAE 15W-40 Mopar Engine Oil | 946 mL Bottle | 68218940CB | 14 |
| SAE 15W-40 Mopar Engine Oil | 5 L Bottle | 68218941CB | 14 |
| SAE 15W-40 Mopar Engine Oil | 208.2 L Drum | 68218942CB | 14 |
| SAE 5W-20 Mopar Engine Oil | 946 mL Bottle | 68218890CB | 14 |
| SAE 5W-20 Mopar Engine Oil | 5 L Bottle | 68218891CB | 14 |
| SAE 5W-20 Mopar Engine Oil | 208.2 L Drum | 68218892CA | 14 |
| SAE 5W-30 Mopar Engine Oil | 946 mL Bottle | 68218920CB | 14 |
| SAE 5W-30 Mopar Engine Oil | 5 L Bottle | 68218921CB | 14 |
| SAE 5W-30 Mopar Engine Oil | 208.2 L Drum | 68218922CA | 14 |
| Shell SAE 5W-40 Rotella T6 Full Synthetic | 5 L Bottle | 68171006CB | 13 |
| Shell SAE 5W-40 Rotella T6 Full Synthetic | 208.2 L Drum | 68147411CB | 13 |
| Silicone Rubber RTV | 85 G Tube | 82300234AC | 25 |
| Silicone Windshield & Glass Sealer | 42 G Tube | 04467708 | 27 |
| Soft Top Zipper Cleaner & Lubricant | 59 mL Bottle | 05066440AB | 29 |
| Solstice R-1234YF A/C Refrigerant | 4.5 Kilogram Cylinder | 68224028CB | 12 |
| Solstice R-1234YF A/C Refrigerant | 11.4 Kilogram Cylinder | 68224029CA | 12 |
| SP-15 A/C Compressor Lubricant | 250 mL Can | 04886129AB | 12 |
| SP-IV Automatic Transmission Fluid | 946 mL Bottle | 68171866AB | 15 |
| SP-IV Automatic Transmission Fluid | 3.785 L Bottle | 68171869AB | 15 |
| Spray White Lube Lithium Grease | 300 G Aerosol Can | 0VU01491AB | 23 |
| Synthetic Axle Lubricant SAE 75W-85 | 946 mL Bottle | 05136035AC | 18 |
| Synthetic Gear & Axle Lubricant SAE 75W-90 | 60 L Drum | 68218656CA | 17 |
| Synthetic Gear & Axle Lubricant SAE 75W-140 | 946 mL Bottle | 68218657CB | 17 |
| Synthetic Gear & Axle Lubricant SAE 75W-140 | 60 L Drum | 68218658CA | 17 |
| Synthetic Gear Lubricant SAE 75W-90 | 946 mL Bottle | 68218655CB | 17 |
| Synthetic Gear Lubricant SAE 75W-90 | 946 mL Bottle | 68218654AA | 17 |
| Threebond™ Engine RTV | 150 G Tube | 68082860AB | 24 |
| Throttle Body Cleaner | 425 G Aerosol Can | 0VU01446AB | 22 |
| Tire Treatment | 473 mL Trigger Spray Bottle | 04796240AC | 28 |
| Total Clean Trigger Spray | 3.785 L Bottle | 04318020AE | 31 |
| Total Clean Trigger Spray | 473 mL Trigger Spray Bottle | 04897840AD | 31 |
| Transfer Case Lubricant for BorgWarner 44-40 | 1 L Bottle | 68049954AA | 19 |
| Transfer Case Lubricant for BorgWarner 44-44 | 946 mL Bottle | 68089195AA | 19 |

ALPHABETICAL INDEX

| ITEM | SIZE | PART NUMBER | PAGE NO. |
|--|----------------|----------------|-------------|
| Transfer Case Lubricant NV245/NV247/NV249 | 946 mL Bottle | 05016796AC | 19 |
| Transfer Case Lubricant NV146 | 946 mL Bottle | 68001758AB | 19 |
| Transfer Case Lubricant NV246 | 950 mL Bottle | 05179014AA | 19 |
| Transmission Cooler Flush | 3.785 L Bottle | 04796268AB | 23 |
| Undercoat | 1.183 L Bottle | 0MS01002AB | 32 |
| Universal Wash | 473 mL Bottle | 0MS00116 | 31 |
| Universal Wash | 20 L Pail | 0VU01067 | 31 |
| Universal Wash | 4 L Bottle | 0VU01068 | 31 |
| Universal Wash | 205 L Drum | 0VU01421AB | 31 |

| ITEM | SIZE | PART Number | PAGE NO. |
|-------------------------------|-----------------------------|----------------|-------------|
| Vitamol ZH-M Hydraulic Fluid | 500 mL Bottle | 68035321AB | 19 |
| Water Pump Lubricant | 355 mL Bottle | 68029698AC | 11 |
| Weatherstrip Adhesive | 142 G Tube | 04773774AC | 26 |
| Weatherstrip Lubricant | 30 mL Bottle | 04773427AB | 26 |
| Whitewall & Vinyl Top Cleaner | 473 mL Pump Spray Bottle | 04856593AC | 29 |
| Windshield Washer Antifreeze | 3.78 L Bottle | 0VU01321AB | 30 |
| Windshield Install Package | _ | 04864015AD | 26 |
| ZF 8 & 9 Speed ATF® | 946 mL | 68218925AB | 15 |
| | | | |

VEHICLE PERFORMANCE





FUEL SYSTEM CLEANER APPLICATION TOOL

MSQ: 1

Part No. 0VU01441



PREMIUM FUEL SYSTEM CLEANING KIT

This kit is designed to improve customer satisfaction by addressing driveability concerns, including rough idle, loss of power, hesitation, hard starting and poor fuel economy.

One Kit Includes

Premium Fuel System Cleaner, Premium Combustion Chamber Cleaner, Premium Air Intake Cleaner

MSQ: 8

Part No. 0VU01440AB



DIESEL INJECTOR CLEANER

Compatible with all diesel fuels and biodiesel. Emissions-reducing formula is noncorrosive and contains no alcohol. Rated "superior" in Cummins L-10 test for injector cleanliness. Complies with federal ultralow sulfur content requirements for use in all diesel motor vehicles and non-road engines. Increases power and reduces black smoke.

888 mL Bottle MSQ: 12 Bottles Part No. 68194640AB



FUEL SYSTEM CLEANER

The ultimate fuel injector cleaner. It is a powerful, non-halogenated cleaner for use in all fuel-injected gasoline engines. Catalytic converter and sensor safe.

340 Gram Aerosol Can MSQ: 12 Cans

Part No. 0VU01535AB

VEHICLE PERFORMANCE





PREMIUM FUEL SYSTEM SERVICE KIT

For use when symptoms indicate fuel system, fuel injection or induction system deposits are causing drivability problems. Minimal tools required. Easy-to-use bilingual manual and toll free number available for technical support.

MSQ: 1 Kit **Part No. 0VU01532**



FUEL INJECTOR CLEANER

Cleans performance-robbing carbon deposits from the entire fuel system, restoring lost power, drivability and fuel economy. Cleans and protects sensitive fuel gauge sensors from harmful sulfur in some gasolines.

250 mL Bottle MSQ: 12 Bottles Part No. 0VU01426AB



PREMIUM DIESEL FUEL TREATMENT

Increases cetane rating 2-5 numbers. Improves fuel economy and corrosion protection. Removes fuel injector/system deposits and may reduce emissions. Provides exceptional fuel lubricity for reducing fuel pump and injector wear. Improves cold temperature flow for low-temperature starting, smoother idling and shortened warm-up time. Stabilizes fuel when in storage. This diesel fuel additive complies with the federal low sulfur content requirements for use in diesel motor vehicles and non-road engines.

325 mL Bottle MSQ: 24 Bottles Part No. 05191800AB



FUEL SYSTEM TREATMENT

For vehicles that may sit 30 days or longer. Prevents fuel system varnish that can cause hard starting and reduce fuel injector performance. Absorbs water to help prevent corrosion.

250 mL Bottle MSQ: 12 Bottles Part No. 0VU01246AB

LEAK DETECTION

LEAK DETECTION DYES

Simple-to-use dye identifies leaks. Fluorescent dye leak detecting compounds make short work of pinpointing difficult-to-diagnose leaks by glowing brightly when exposed to ultraviolet (UV) light. Convenient, single-application bottles.



COOLANT LEAK DETECTION DYE

Coolant Leak Detection Dye is used in Mopar_® 5-Year/160,000-Km Antifreeze (Part No. 0VU01524AC). Dilution ratio of 29.6 mL to 3.78 L of antifreeze.

29.6 mL Bottle MSQ: 6 Bottles Part No. 05161618AC



R-134a LEAK DETECTION DYE

7.39 mL Bottles MSQ: 24 Bottles Part No. 04798219AC



4-IN-1 LEAK DETECTION DYE

4-in-1 Leak Detection Dye can be used in engine oil (7.39 mL dye per 3.78 L of oil), ATF (7.39 mL dye per 5.68 L of ATF), fuel (7.39 mL dye per 7.57 L of fuel) and power steering fluid. (NOTE: For finding power steering leaks only use 1/4 of total amount of dye in the 4-in-1 7.39 mL dye bottle).

7.39 mL Bottles MSQ: 6 Bottles Part No. 05010042AC

COOLANT

IAT/CONVENTIONAL FAMILY



ANTIFREEZE/COOLANT 3-YEAR FORMULA — EMBITTERED

Ethylene glycol-based three-year formulation to prevent freeze-up and boil-over while inhibiting corrosion. Only for vehicles factory filled with three-year coolant.

3.78 L Bottle MSQ: 6 Bottles Part No. 0VU01233AB

HOAT FAMILY



ANTIFREEZE/COOLANT 5-YEAR/ 250,000 KM — EMBITTERED

Ethylene glycol-based five-year formulation to prevent freeze-up and boil-over while inhibiting corrosion. Only for vehicles factory filled with 5-year/250,000-km coolant.

3.78 L Bottle MSQ: 4 Bottles Part No. 0VU01524AC

OAT FAMILY FCA VEHICLES



50/50 PREDILUTED ANTIFREEZE/COOLANT 10-YEAR/240,000-KM

Do not add water. Ethylene glycol-based formulation to prevent freeze-up and boil-over while inhibiting corrosion. Must not be mixed with any non-conforming antifreeze. OAT (Organic Additive Technology). Developed for new vehicle technologies.


3.785 L Bottle MSQ: 4 Bottles **Part No. 68175339AC**



CONCENTRATE ANTIFREEZE/COOLANT 10-YEAR/240,000-KM

Ethylene glycol-based formulation to prevent freeze-up and boil-over while inhibiting corrosion. Must not be mixed with any non-conforming antifreeze. OAT (Organic Additive Technology). Developed for new vehicle technologies.

3.785 L Bottle MSQ: 4 Bottles **Part No. 68175338AC**



COOLANT





COOLING SYSTEM TUNE-UP KIT #1 FAST FLUSH

1 – CLEANS the entire cooling system of rust and scale deposits. Non-acid will not harm aluminum.

#2 CONDITIONER

2 – MAINTAINS cooling system efficiency. Conditioner will prolong the alkalinity of the antifreeze, lubricate the water pump seals and provide additional rust and corrosion protection.

#3 SEALANT

3 – SEALS the cooling system. Sealant seeks out minor leaks in radiator and block, then seals against seepage.

3-350 mL Bottle MSQ: 1 Kit **Part No. 0VU01282**



COOLING SYSTEM FLUSH

Dissolves oil and sludge from cooling system while removing scale and rust from components. Does not foam and is compatible with all aluminum components.

650 mL Bottle MSQ: 12 Bottles Part No. 04856977AC



WATER PUMP LUBRICANT

Formulated to help prevent rust and corrosion while lubricating the water pump. Compatible with all cooling system metals including aluminum.

355 mL Bottle MSQ: 12 Bottles Part No. 68029698AC

AIR CONDITIONING



SOLSTICE R-1234YF A/C REFRIGERANT

New air conditioning refrigerant for use in vehicles equipped with the 1234YF systems.

4.5 Kilogram Cylinder MSQ: 1 Cylinder Part No. 68224028CB

11.4 Kilogram Cylinder MSQ: 1 Cylinder Part No. 68224029CA



ND-OIL 8 A/C COMPRESSOR OIL PAG TYPE

250 mL Can MSQ: 1 Can **Part No. 82300102AC**



RL-897 A/C COMPRESSOR OIL PAG TYPE

Formulated for use only in electrically driven compressors. Do not mix with other PAG type compressor lubricants.

210 mL Can MSQ: 1 Can **Part No. 68170681AB**



SP-15 A/C COMPRESSOR LUBRICANT

250 mL Can MSQ: 1 Can Part No. 04886129AB



COOLING COIL COATING

Provides a durable coating to the air conditioning evaporator to reduce or eliminate odors.

236 mL Bottle MSQ: 6 Bottles Part No. 04728942AC



ND-12 COMPRESSOR OIL

Formulated for use in automotive air conditioning systems using R-1234yf refrigerants.

210 mL Can MSQ: 1 Can **Part No. 68224150AB**



COOLING COIL CLEANER

Heavy-duty, fast-acting cleaner. Removes dirt and odor-causing organic matter. Biodegradable, safe on automotive surfaces.

236 mL Bottle MSQ: 12 Bottles Part No. 05170022AB

ENGINE OILS



PENNZOIL® ULTRA SAE OW-40 FULL SYNTHETIC

Service fill SRT8°, 6.4L. 946 mL Bottle

MSQ: 6 Bottles
Part No. 68171066CB



SHELL SAE 5W-40 ROTELLA T6 FULL SYNTHETIC

Approved for Cummins Turbo Diesels. Recommended for heavyduty drive cycle, towing and commercial use. Preferred when temperature is -15° C or below.

5 L Bottle MSQ: 3 Bottles **Part No. 68171006CB**

208.2 L Drum MSQ: 1 Drum **Part No. 68147411CB**



PENNZOIL ULTRA SAE 5W-40 EUROPEAN FORMULA FULL SYNTHETIC

Service fill SRT8, 6.1L. Service fill SRT10°, 8.3L, 8.4L. Service fill Crossfire & SRT6°. Service fill 2.8L diesel (KJ).

946 mL Bottle MSQ: 6 Bottles Part No. 05127394CD



PENNZOIL ULTRA EURO L 5W-30 FULL SYNTHETIC

Approved for 3.0L CRD (WK) and Sprinter 3.0L OM642 (VB).

946 mL Bottle MSQ: 6 Bottles Part No. 68001334CB



PENNZOIL SAE 0W-20 PLATINUM FULL SYNTHETIC

Approved to service all engines that require SAE 0W-20 engine oils.

946 mL Bottle MSQ: 6 Bottles Part No. 68152004CA



PENNZOIL SAE 5W-20 PLATINUM FULL SYNTHETIC

Energy-conserving viscosity grade recommended for many modern gasoline engines.

946 mL Bottle MSQ: 6 Bottles **Part No. 05166240CB**

5 L Bottle MSQ: 3 Bottles Part No. 68224343CB

208.2 L Drum MSQ: 1 Drum **Part No. 68146832CA**



PENNZOIL SAE 5W-30 PLATINUM FULL SYNTHETIC

Energy-conserving viscosity provides excellent all-season protection and unsurpassed levels of performance.

946 mL Bottle MSQ: 6 Bottles Part No. 05166241CA

5 L Bottle MSQ: 3 Bottles Part No. 68224344CB



PENNZOIL SAE 10W-30 PLATINUM FULL SYNTHETIC

Provides unsurpassed levels of performance, cleaning power and engine wear protection. Service fill for 1997-2005 Viper 8.0L.

946 mL Bottle MSQ: 6 Bottles Part No. 05166242CA

5 L Bottle MSQ: 3 Bottles **Part No. 68224345CB**

ENGINE OILS



SAE 0W-20 MOPAR_® MAX PRO PLUS

Approved to service all engines that require SAE 0W-20 engine oils.

946 mL Bottle MSQ: 12 Bottles **Part No. 68218950CB**

5 L Bottle MSQ: 3 Bottles **Part No. 68218951CB**

208.2 L Drum MSQ: 1 Drum **Part No. 68218952CA**



SAE 5W-20 MOPAR ENGINE OIL

Rating: API SM Energy Conserving, ILSAC GF-4
Specially developed with FCA engineering, this
product exceeds requirements for API Certified
SM engine oils. This higher-quality engine oil
will help increase fuel economy, reduce piston
deposits, improve oxidation protection and
reduce oil consumption.

946 mL Bottle MSQ: 12 Bottles **Part No. 68218890CB**

5 L Bottle MSQ: 3 Bottles

208.2 L Drum MSQ: 1 Drum

Part No. 68218892CA

Part No. 68218891CB



SAE 5W-30 MOPAR ENGINE OIL

Rating: API SM / GF-4 Energy Conserving
Approved to service all engines that require
SAE 5W-30 engine oils in all climates.
Suitable for use in gasoline, flexible fuel (E85)
and turbocharged engines. Improves fuel
economy, provides excellent high-temperature
lubrication and low-temperature pumpability.

946 mL Bottle MSQ: 12 Bottles

Part No. 68218920CB

5 L Bottle MSQ: 3 Bottles **Part No. 68218921CB**

208.2 L Drum MSQ: 1 Drum

Part No. 68218922CA



SAE 10W-30 MOPAR ENGINE OIL

Rating: API SM, Energy Conserving, ILSAC GF-4

Approved to service all engines that require SAE 10W-30 engine oils in all climates. Approved for use with pre-2004 turbocharged engines. Suitable for use in both gasoline and flexible fuel engines. Provides excellent lubrication under high load, high heat conditions.

946 mL Bottle MSQ: 12 Bottles Part No. 68218930CB

5 L Bottle MSQ: 3 Bottles **Part No. 68218931CB**

208.2 L Drum MSQ: 1 Drum **Part No. 68218932CA**



SAE 15W-40 MOPAR ENGINE OIL

Rating: API CJ-4/CI-4+
6700 CJ-4 rated engine oil
for Dodge truck with low
emissions 6.7L Cummins turbo
diesel engine. Approved for
older 5.9L Cummins diesel
engine operating on low or
high sulfur fuel.

946 mL Bottle MSQ: 12 Bottles **Part No. 68218940CB**

5 L Bottle MSQ: 3 Bottles **Part No. 68218941CB**

208.2 L Drum MSQ: 1 Drum **Part No. 68218942CB**



SAE 0W-30 MOPAR ENGINE OIL

Rating: ILSAC GF-5, API SN PLUS and all previous categories

Engineered as an advanced full synthetic formula that lubricates, cleans and protects engines under extreme temperatures. Removes sludge and provides superior wear protection versus conventional or synthetic blend oils.

946 mL Bottle MSQ: 12 Bottles **Part No. 68444159CA**



AUTOMATIC TRANSMISSION FLUIDS



ZF 8 & 9-SPEED ATF®

Formulated as a high-quality fluid specifically for the ZF 8HP45 & ZF 9HP45 transmission used in FCA vehicles. Approved by FCA Engineering to ensure smooth and quiet operation. Provides superior lubrication to reduce wear. Meets ZF specifications.

946 mL Bottle MSQ: 6 Bottles **Part No. 68218925AB**



ATF+4®

The approved automatic transmission fluid for all vehicles factory filled with ATF+4.

946 mL Bottle MSQ: 12 Bottles **Part No. 68218057CC**

5 L Bottle MSQ: 3 Bottles Part No. 68218058CC

208.2 L Drum MSQ: 1 Drum **Part No. 68218054CB**



ASRC™ ATF

Formulated as an exceptionally highperformance lubricant for use in AS68RC and AS69RC slip-controlled lock-up automatic transmissions. Recommended for use in transmissions made by Aisin-Seiki requiring Type T-IV fluids. Refer to vehicle owner's manual for proper fluid requirements.

946 mL Bottle MSQ: 12 Bottles

Part No. 05189966AD

3.785 L Bottle MSQ: 4 Bottles **Part No. 05189977AB**



CVTF+4® TRANSMISSION FLUID

Mopar_® CVT fluid is specially formulated for continuously variable transmission in PM/MK body.

946 mL Bottle MSQ: 12 Bottles **Part No. 05191184AA**

3.785 L Bottle MSQ: 3 Bottles **Part No. 05191185AC**



SP-IV AUTOMATIC TRANSMISSION FLUID

This ATF is specifically designed and approved for use in the 6-speed automatic Powertech® transmission for front-wheel drive or all-wheel drive FCA vehicles (only transverse engine layout). Controls oxidation and minimizes the formation of deposits.

946 mL Bottle MSQ: 12 Bottles

Part No. 68171866AB

3.785 L Bottle MSQ: 4 Bottles

Part No. 68171869AB



MB236.12 AUTOMATIC TRANSMISSION FLUID

This fluid is specifically designed for Chrysler Crossfire and Dodge Sprinter automatic transmissions. Not intended for use in power steering systems or other Chrysler transmissions. Meets MB236.12.

946 mL Bottle MSQ: 12 Bottles

Part No. 05127382AB

DIESEL FLUIDS



Federal Emission requirements — for many diesel vehicles including all 2011 and later Ram 3500/4500/5500 diesels — require a new chemical to operate.

DIESEL EXHAUST FLUID (DEF)

DEF is carried in a separate tank on board the vehicle and injected into the exhaust system. DEF consumption is expected to be approximately 2% of fuel consumption.

DIESEL EXHAUST FLUID

3.785 L Bottle MSQ: 4 Bottles **Part No. 68035704AC**

9.46 L Bottle MSQ: 2 Bottles Part No. 68056278AC

GEAR & AXLE LUBRICANTS



GEAR & AXLE LUBRICANT SAE 80W-90

General purpose GL-5 gear lubricant. Use in select Dana axles as specified. Replaces SAE 90.

60 L Drum MSQ: 1 Drum

Part No. 68218043CA



GEAR & AXLE LUBRICANT SAE 80W-90

General purpose GL-5 gear lube. Use in rear axles as specified. Excellent wear and noise protection.

946 mL Bottle MSQ: 12 Bottles Part No. 68218041CB



SYNTHETIC GEAR & AXLE LUBRICANT SAE 75W-140

High-performance synthetic GL-5 gear lubricant.
Recommended for trailer tow, heavy duty and high load in 2 X 4 and 4 X 4 applications.

60 L Drum MSQ: 1 Drum **Part No. 68218658CA**



SYNTHETIC GEAR & AXLE LUBRICANT SAE 75W-140

High-performance synthetic GL-5 gear lube. Also highly recommended for LX body rear axle. Recommended for trailer tow and heavy-duty, high-load vehicles.

946 mL Bottle MSQ: 12 Bottles **Part No. 68218657CB**



SYNTHETIC GEAR & AXLE LUBRICANT SAE 75W-90

GL-5 formula for use in all FCA US LLC corporate axles (205mm, 8.25").

60 L Drum MSQ: 1 Drum **Part No. 68218656CA**



SYNTHETIC GEAR LUBRICANT SAE 75W-90

Specifically formulated for improved fuel efficiency while providing exceptional antiwear properties. For use in all FCA US LLC axles.

946 mL Bottle MSQ: 12 Bottles **Part No. 68218655CB**



SYNTHETIC GEAR LUBRICANT SAE 75W-90

SAE 75W-90 for use specifically in DR 2500-3500 and axles produced by American Axle Manufacturing.

946 mL Bottle MSQ: 12 Bottles Part No. 68218654AA



REAR AXLE LUBRICANT

Rear axle lube for ZF-ELSD assembly.

1 L Bottle MSQ: 4 Bottles Part No. 68083381AA

GEAR & AXLE LUBRICANTS





MANUAL TRANSMISSION LUBRICANT

Unique lubricant specially formulated for the NV 3500 and NSG 370 transmissions. Required to maintain shift properties.

946 mL Bottle MSQ: 12 Bottles Part No. 04874464AB



SYNTHETIC AXLE LUBRICANT SAE 75W-85

This fully synthetic GL-5 fluid is intended for use only in the Chrysler Crossfire axle assembly. Not intended for use in other FCA US LLC vehicles.

946 mL Bottle MSQ: 12 Bottles **Part No. 05136035AC**



C SERIES DDCT SAE 75W HYDRAULIC FLUID

Fully synthetic lubricant specifically for cars with Selespeed gearboxes. Cleans mechanical parts and provides extreme fluidity when cold, and protection when hot.

946 mL Bottle MSQ: 6 Bottles Part No. 68092638AB



C SERIES MANUAL & DUAL DRY CLUTCH TRANSMISSION FLUID

Specifically blended for the C51 O/C514/ C635 manual transmissions and C635/C725/ C735 dual dry clutch transmissions. Maintains component durability, shift quality and cold temperature properties. Not intended for conventional automatic transmissions, power steering systems or other transmissions unless specified in your FCA service manual.

946 mL Bottle MSQ: 12 Bottles Part No. 68092630AA

3.785 L Bottle MSQ: 4 Bottles Part No. 68092636AA

GEAR & AXLE LUBRICANTS



LIMITED SLIP ADDITIVE

Reduces wear, noise and chatter in limited slip (Sure-Grip, Trak-Lok, Power-Lok) differentials. Should be added whenever the gear oil is changed or improper limited slip operation is detected.

120 mL Bottle MSQ: 24 Bottles Part No. 04318060AD



TRANSFER CASE LUBRICANT NV245/NV247/NV249

All-new convenient squeeze bottle.

946 mL Bottle MSQ: 12 Bottles Part No. 05016796AC



TRANSFER CASE LUBRICANT NV146

Specially formulated highperformance lubricant required for carbon fiber clutch plates used in the Jeep, Grand Cherokee SRT8® NV146 transfer case.

946 mL Bottle MSQ: 6 Bottles Part No. 68001758AB



TRANSFER CASE LUBRICANT NV246

Unique lubricant required for NV246 in 2006 DR truck.

950 mL Bottle MSQ: 12 Bottles Part No. 05179014AA



TRANSFER CASE LUBRICANT FOR BORGWARNER 44-40

Formulated for use in LX (Charger 300) BorgWarner 44-40 Transfer Case. Not recommended for use in other applications. Suitable for Type A (Suffix A), Dexron and Type F transmission fluid applications, or where an SAE 10W-20 engine oil is specified.

1 L Bottle MSQ: 12 Bottles Part No. 68049954AA



TRANSFER CASE LUBRICANT FOR BORGWARNER 44-44

Specified for use in BorgWarner 44-44 Transfer Case. Not recommended for use in other applications. Consult vehicle service manual for further information.

946 mL Bottle MSQ: 6 Bottles Part No. 68089195AA



VITAMOL ZH-M HYDRAULIC FLUID

Recommended for Chrysler Sebring (JS-27) convertible/retractable hardtop system.

500 mL Bottle MSQ: 4 Bottles Part No. 68035321AB

POWER STEERING & BRAKE FLUIDS





HYDRAULIC SYSTEM POWER STEERING FLUID

Specifically developed for WK hydraulic/power steering systems.

946 mL Bottle MSQ: 4 Bottles Part No. 68234631AA



ELECTRIC STEERING PUMP FLUID

This fluid is approved for EPS pump systems and meets FCA material specification MS-11655. Do not mix power steering fluid types. Severe electrical power steering pump damage may result if a different fluid is used. Do not overfill.

473 mL Bottle MSQ: 6 Bottles Part No. 68088485AB



POWER STEERING FLUID +4

Convenient, easy-to-pour, pint-sized container. Meets FCA material specification for post-1998 FCA power steering systems that require MS-9602 and MS-5931 fluid. Compatible with ATF+4.

946 mL Bottle MSQ: 12 Bottles Part No. 68218064AC



DOT 3 BRAKE FLUID

For use in hydraulic brake systems specifying DOT 3 brake fluid or disc or drum brakes. Meets or exceeds SAE and federal specifications.

350 mL Bottle MSQ: 12 Bottles Part No. 0BF00014AB

4 L Bottle MSQ: 4 Bottles Part No. 0BF00015AB

20 L Drum MSQ: 1 Drum **Part No. 0BF00013AB**



BRAKE & CLUTCH FLUID DOT 4 MOTOR VEHICLE

Specially blended to withstand heat and pressure. DOT 4 fluid meets all DOT requirements for DOT 4.

500 mL Bottle MSQ: 12 Bottles Part No. 0BF00016AB

LUBRICANTS & GREASE



MULTI-PURPOSE GREASE

General purpose grease for lubricating clutch torque shaft bearings, clutch release bearing sleeves, clutch release forks, brake assemblies, wheel bearings and more (NLGI - 2 certified).

411 G Cartridge MSQ: 10 Cartridges Part No. 05083150AA



GENERAL PURPOSE HIGH-TEMP WHEEL BEARING GREASE 400 G Cartridge

MSQ: 10 Cartridges Part No. 0VU01418



BRAKE LUBRICANT

Superior lubricant to prevent noise, squeaks and backing plate wear. Lubricates contact points between brake shoes and backing plates. Required on NS minivan.

50 G Tube MSQ: 1 Tube Part No. 04796269AB



OUTPUT SHAFT ASSEMBLY LUBRICANT

Specifically designed to be applied to the transmission output shaft on LX vehicles during assembly.

50 G Tube MSQ: 1 Tube Part No. 68002256AB



DIELECTRIC GREASE

A silicone-based, electrically thermal insulating grease for use on wiring harnesses, bulkhead connectors, spark wires and other electrical connections. Prevents dirt, grease and moisture from contaminating connection and causing open circuits.

56 G Tube MSQ: 12 Tubes Part No. J8126688AB

SPECIALTY PRODUCT

The following "Specialty Product" has been identified in a Service Bulletin for specific service procedures. Refer to the Service Bulletin for application information.

| Description | Part No. | Contents | MSQ | |
|------------------------|------------|----------|-----|--|
| Nye® Dielectric Grease | 05013781AA | 56 G | 1 | |





COMBUSTION CHAMBER CLEANER

Cleans carburetors, intake manifolds, intake and exhaust valves, pistons and combustion chambers. Removes deposits, eliminates carbon knock and restores performance.

385 G Aerosol Can MSQ: 12 Cans Part No. 0VU00788AB

500 G Aerosol Can MSQ: 12 Cans Part No. 0VU01788AB



THROTTLE BODY CLEANER

Quickly removes deposits and carbon buildup from throttle bodies, carburetors, chokes, linkages and PCV valves. Meets C.A.R.B. automotive product VOC standards.

425 G Aerosol Can MSQ: 12 Cans

Part No. 0VU01446AB



ELECTRICAL CONTACT CLEANER

Cleans and loosens any oxidation deposits from all kinds of electrical terminals, connectors or contacts. Removes oxide and sulphide deposits, residue, resin, oil or dirt. Eliminates distortion and the occurrence of unreliable resistance or cracking noises. Safe for use on automotive circuit boards. Specify non-chlorinated.

275 G Aerosol Can MSQ: 12 Cans

Part No. 0VU01534AB



BRAKE & PARTS CLEANER NON-CHLORINATED

Removes oil, grease and brake fluid residue from all metal brake parts. Loosens brake dust for easy removal.

390 G Aerosol Can MSQ: 12 Cans Part No. 0VU01497AC

20 L Pail MSQ: 1 Pail

Part No. 0VU01502AB





SPRAY WHITE LUBE LITHIUM GREASE

An all-purpose, lithium-based white grease for automotive and general purpose applications. Ideal for hinges, slide tracks and lock mechanisms.

300 G Aerosol Can MSQ: 12 Cans Part No. 0VU01491AB



PENETRATING FLUID

Superior formula to loosen virtually all rusted and corroded parts. Excellent heat valve solvent.

290 G Aerosol Can MSQ: 12 Cans Part No. 0VU00100AB



MULTI-PURPOSE LUBE

Displaces moisture from wet ignition system and leaves a moisture-resistant barrier. Penetrates metal fittings to ease disassembly and provides short-term rust prevention and protection.

175 G Aerosol Can MSQ: 12 Cans **Part No. 0VU01463AB**



GEAR MARKING COMPOUND

Brightly coloured gear marking compound to aid in assembly and adjustment of ring and pinion preload or lash. Convenient brush-top can.

118 mL Can MSQ: 1 Can

Part No. 04883065AB



TRANSMISSION COOLER FLUSH

For back-flushing ATF cooler and lines. Dissolves and flushes unwanted particles in transmission system. Does not foam up and is compatible with transmission cooler system components.

3.785 L Bottle MSQ: 6 Bottles **Part No. 04796268AB**



NICKEL ANTI-SEIZE LUBRICANT

Helps protect metal parts from seizure and galling. Recommended for applications requiring protection from corrosive environments. High-temperature protection up to 1427 degrees Celsius (2600 degrees Fahrenheit).

454 G Bottle MSQ: 1 Bottle Part No. 05012249AC



DIESEL TURBOCHARGER CLEANER

Formulated as a non-flammable, water-based solvent for removing soot accumulation on internal diesel turbocharger exhaust components. For use with compatible service kit.

396 G Aerosol Can MSQ: 12 Cans **Part No. 68044565AB**



EGR SYSTEM CLEANER

For use with appropriate Service Manual cleaning procedure. Must be diluted with water.

1 L Bottle MSQ: 6 Bottles Part No. 68028729AB

SEALANT APPLICATIONS

| Part No. | Description | Colour | Recommended Usage |
|------------|---|--------|-------------------------|
| 04318083AC | Gasket Maker | Red | Metal to Metal |
| 04883971AC | Engine RTV | Black | Engine Oil |
| 05010884AD | ATF-RTV | Black | Automatic Transmissions |
| 05013477AD | Axle RTV | Orange | Axle Section |
| 82300234AC | World Engine Oil/Trans/ Glycol Sealant RTV | Gray | Gear Lube |



ATF-RTV

Silicone rubber RTV developed specifically to retain sealing and adhesion properties when exposed to automatic transmission fluid.

85 G Tube MSQ: 12 Tubes **Part No. 05010884AD**



AXLE-RTV

The only RTV sealer approved for use in FCA-built axles using Mopar_® SAE 75W-90 Axle Lubricant P/N 68218655CB. This is the only factory used sealer compatible for use with this lubricant.

85 G Tube MSQ: 12 Tubes **Part No. 05013477AD**



THREEBOND™ ENGINE RTV

Formulated as a highperformance temperaturevulcanized silicone. It has good elasticity, temperature and chemical resistance when cured. Highly resistant to oils such as motor oil, transmission fluid or gear oil. Not recommended for sealing engine coolant.

150 G Tube MSQ: 1 Tube **Part No. 68082860AB**



ENGINE SEALANT RTV SILICONE RUBBER ADHESIVE

Use to seal components exposed to engine oil. Specifically designed black silicone rubber RTV retains adhesion and sealing properties when exposed to engine oil.

85 G Tube MSQ: 12 Tubes **Part No. 04883971AC**





GASKET MAKER

Use when assembling metal-to-metal components. Red anaerobic sealer fills gaps to .030" and cures to a flexible seal in one to eight hours. Excellent resistance to solvents and gasoline.

50 G Tube MSQ: 10 Tubes **Part No. 04318083AC**



GASKET SEALANT

Slow drying, permanently soft sealer. Recommended for sealing threaded fittings and gaskets against leakage of oil and/or antifreeze/coolant. Use on threaded and machined parts under all temperatures. Prevents corrosion.

255 G Aerosol Can MSQ: 12 Cans Part No. 04318035AC



SILICONE RUBBER RTV

Silicone rubber RTV developed specifically to be engine oil, gear lubricant and coolant compatible. Excellent adhesion, even on oily surfaces. Withstands temperatures to 635°F (330°C).

85 G Tube MSQ: 12 Tubes **Part No. 82300234AC**



BUTYL TAPE

Use on older vehicles as adhesive caulking for bonding glass to metal. Forms a windproof and waterproof seal. Not for use in place of urethane. Each roll contains 4 feet of 3/8" bead Butyl Tape.

4' Roll MSQ: 1 Roll **Part No. 04076274AB**



LOCK & SEAL ADHESIVE

Locks nuts and bolts to prevent vibration loosening, wear and thread corrosion. Seals against air, oil, fuel and hydraulic leaks. Can be disassembled. Blue threadlocking compound.

6 mL Tube MSQ: 10 Tubes **Part No. 04318031AB**





WEATHERSTRIP ADHESIVE

Adheres weatherstripping to painted metals for a permanent bond. Withstands heat and freezing conditions; also resists gasoline, kerosene, antifreeze and most solvents.

142 G Tube MSQ: 10 Tubes **Part No. 04773774AC**



WEATHERSTRIP LUBRICANT

Unique Krytox (synthetic fluorinated lubricant) formulation lubricates weatherstripping to prevent it from sticking to door glass and frames. Clear fluid provides long-lasting lubrication. Will not stain or mar clothing. Features built-in sponge applicator.

30 mL Bottle MSQ: 1 Bottle Part No. 04773427AB



BOND-ALL GEL

Super adhesive glue instantly bonds a wide variety of materials. Thick, no-run glue for use on weatherstripping, bumper rub strips, body side moldings and many other items where permanent repair is needed.

3 mL Tube MSQ: 10 Tubes **Part No. 04467709AB**



WINDSHIELD INSTALL PACKAGE

Contains: Tube Urethane Adhesive (310 mL), Metal Primer (33 mL), Glass Primer (33 mL), Application Dauber (1), Foam Spacers (10) and Windshield Supports (2).

MSQ: 1

Part No. 04864015AD



REARVIEW MIRROR ADHESIVE

Two-part, single-application package of accelerant and adhesive to permanently rebond inside rearview mirror to windshield (non-TCE formula).

.06 mL Kits MSQ: 10 Kits **Part No. 05015983AD**



SILICONE WINDSHIELD & GLASS SEALER

Clear, flowable sealant for windshields, sunroofs and headlamp assemblies. Flows into leaks like water, but dries to a tough, flexible waterproof seal that is resistant to temperature changes, vibration and shock.

42 G Tube MSQ: 12 Tubes **Part No. 04467708**



BUZZ. SQUEAK & RATTLES

These items may help eliminate noises.

Anti-Squeak Tape

MSQ: 24

Part No. 05019054AA

Foam Tape MSQ: 24

Part No. 05019056AA, 05019058AA

Oil Lubricant MSQ: 1

Part No. 05019059AB

HAND CLEANERS





DISPENSER FOR BAG-IN-BOX

Dispenser for Ultra-Max and Orange Scent Hand Cleaner.

1 Dispenser MSQ: 1 Dispenser Part No. 04897618AB



HAND CLEANER/NATURAL CITRUS

Citrus-scented hand cleaner with aloe, lanolin and jojoba to clean hands quickly and naturally without harsh solvents. Contains pumice to remove heavy grime.

3.785 L Bottle MSQ: 4 Bottles **Part No. 82300022AB**





TIRE TREATMENT

Spray and wipe to enhance tire appearance. Designed as an occasional use product, exclusively for tires and sidewalls.

473 mL Trigger Spray Bottle MSQ: 6 Bottles **Part No. 04796240AC**



CHROME CLEANER

Excellent chrome surfaces cleaner. Specifically formulated for use on surfaces that are exposed to weather or water. Use on chrome bumpers; wheels, including chrome-clad wheels; mirror backs and grilles.

473 mL Bottle MSQ: 6 Bottles Part No. 04318013AD



BUG & TAR REMOVER

Wipes away gummy substances such as tar, asphalt, oil and undercoating from automobile finishes. Also helps keep interiors looking new by removing grease, wax, lipstick and gum from upholstery.

946 mL Can MSQ: 6 Cans **Part No. 0MS00121**



JEEP_® SOFT GLASS WINDOW CLEANER

Safely cleans all plastic windows without scratching. Removes fine scratches to improve visibility and provides UV protection to help prevent yellowing. Simply rinse window, then apply Jeep_® Soft Window Cleaner with a clean towel.

473 mL Bottle MSQ: 6 Bottles Part No. 05012248AD





SOFT TOP ZIPPER CLEANER & LUBRICANT

Specially formulated to clean and lubricate all types of plastic and metal zippers. The patented push/pull dispenser brush removes harmful dirt, sand and salt deposits. Rinses away, yet leaves a unique protective film which lubricates without collecting residue. Biodegradable; contains no silicones or wax.

59 mL Bottle MSQ: 12 Bottles Part No. 05066440AB



CLOTH TOP CLEANER CONCENTRATE

Formulated to clean cloth tops. Concentrated formula makes 6 to 8 gallons of cleaning solution. For vinyl tops, use Mopar_® Vinyl Top Cleaner PN 04856593AC.

473 mL Bottle MSQ: 6 Bottles Part No. 05012245AD



CLOTH TOP TREATMENT

Restores water-repellent nature to cloth convertible tops. Simply spray on and allow to dry. Use in conjunction with Cloth Top Cleaner Concentrate.

473 mL Trigger Spray Bottle MSQ: 6 Bottles Part No. 05012246AC



WHITEWALL & VINYL TOP CLEANER

Effectively and easily removes scuff marks and abrasions from whitewall tires, vinyl and convertible tops. Also excellent on floor mats. Safe for use near paint, glass, rubber or chrome. Not for use on cloth tops. For cloth tops, use Convertible Cloth Top Cleaner Concentrate PN 05012245AD.

473 mL Pump Spray Bottle MSQ: 6 Bottles **Part No. 04856593AC**



RAIN REPELLANT WINDSHIELD WASHER FLUID

Removes insect debris, oily films, grime, dirt, frost and ice. Also waterproofs windshield; rain and snow bead on the windshield and roll right off. Ready to use. No mixing required. Protects to -25°F (-32°C).

1.892 L Bottle MSQ: 6 Bottles Part No. 05139804AB



PREMIUM WINDSHIELD WASHER SOLVENT/DE-ICER

Removes frost; won't refreeze after spraying on frosted windshield. Provides freeze protection to -25°F (-32°C). Formulated for all-season use. Ready to use. No mixing required.

1.892 L Bottle MSQ: 6 Bottles Part No. 05139803AB



WINDSHIELD WASHER ANTIFREEZE

Four season pre-mixed formula. Antifreeze protection to -40° C.

3.78 L Bottle MSQ: 4

Part No. 0VU01321AB



ENGINE SHAMPOO

Formulated to remove dirt, oil and grease. Will not harm painted surfaces, wires, alternators, hoses. Contains no phosphates. Just spray on, let soak and hose off.

475 G Aerosol Can MSQ: 12 Cans Part No. 0VU01443AB

20 L Pail MSQ: 1

Part No. 0VU01070AD



PHOSPHATE-FREE CAR WASH

The Mopar® Car Wash Powder makes over 1,300 gallons of ready-to-use solution. It is designed to provide lots of gentle foaming suds for safe, streak-free results. Mixed solution can be used for either hand or power washing. One container cleans over 600 vehicles.

14 Lb. Pail (Powder) MSQ: 1 Pail **Part No. 04883967AB**



CARPET CLEANER

Premium formula foaming action cleaner removes dirt and stains from interior carpeting. Perfect for new vehicle prep or used vehicle reconditioning. FCA Engineering approved.

510 G Aerosol Can MSQ: 12 Bottles Part No. 05175050AB



TOTAL CLEAN TRIGGER SPRAY

Superior cleaner for use on interiors. Has a pleasant scent. Deodorizes and restores fresh scent to vehicle. Use on fabric, velour, carpet, leather and vinyl. Ready-to-use formula; no mixing required.

473 mL Trigger Spray Bottle MSQ: 12 Bottles

Part No. 04897840AD

3.785 L Bottle MSQ: 6 Bottles Part No. 04318020AE



GLASS CLEANER

Streak-free, maximum cleaning formula removes dirt, grime, oil and even freshly sprayed paint from glass. Year-round formulation. A must for every dealership.

525 G Aerosol Can MSQ: 12 Cans **Part No. 0VU01202AB**



GLASS CLEANER

Reformulated for automotive and household use. Quickly removes haze, smudges, smears and film. Streak-free formula.

651 mL Bottle MSQ: 12 Bottles Part No. 0MS00120



CORROSION INHIBITOR

Heat-resistant clear coating that protects unpainted metal to prevent rust or corrosion. Dries to a minimal gloss.

141.7 G Spray Can MSQ: 1 Can **Part No. 05179671AA**



MULTI-PURPOSE LIQUID FLOOR CLEANER

20 L MSQ: 1

Part No. 0VU01268AC



UNIVERSAL WASH

Concentrated all-purpose cleaner. For automotive exteriors, vinyl and plastic. General purpose, shop and home use.

473 mL Bottle MSQ: 12 Bottles Part No. 0MS00116

4 L Bottle MSQ: 4 Bottles Part No. 0VU01068

20 L Pail MSQ: 1 Pail **Part No. 0VU01067**

205 L Drum MSQ: 1 Drum Part No. 0VU01421AB Dispensing pump included

MASTER SHIELD





PAINT SEALANT

Master Shield's unique formula provides a smooth, glass-like protective seal, which guards against solar damage. Complete with 12 warranty books.

103.5 mL Bottle MSQ: 12 Bottles Part No. 0MS01000AB



FABRIC PROTECTOR

Protects interior fabrics by repelling spills and stains from liquids such as coffee, milk, soft drinks, juice and other similar liquids. Complete with 12 warranty books.

473 mL Bottle MSQ: 12 Bottles Part No. 0MS01001AB



LEATHER AND VINYL PROTECTOR

A special formulation that bonds to the leather or vinyl of the vehicle's interior to give it spill-proof protection. Makes vehicle's interior soil-repellent and waterproof. Liquid spills will "bead up" on your leather or vinyl for easy wipe-off or sponging, without dulling your vehicle's interior colours or leaving stains.

118 mL Bottle MSQ: 1 Bottle Part No. 0MS01004AB



UNDERCOAT

Improves underbody appearance and seals out harmful, corrosive abrasion. Also acts as a sound deadener for a quieter ride, and helps insulate a vehicle from the heat and cold. Complete with 12 warranty books.

1.183 L Bottle MSQ: 12 Bottles Part No. 0MS01002AB



RUSTPROOFING

Fogging spray method penetrates those hard-to-reach cracks and crevices, providing maximum inside-out corrosion protection from rust-through on doors and exterior body side panels. Complete with 12 warranty books.

917 mL Bottle MSQ: 12 Bottles Part No. 0MS01003AB

†Yes Essentials Stain, Odor and Static Resistant Fabric is not compatible with Master Shield Fabric Protector.

FOR THOSE WHO WOULD LIKE TO ENROL* IN ONE OF THE BULK LUBRICANT PROGRAMS

| DESCRIPTION** | CLASSIFICATION | PART NUMBER |
|---------------------------|----------------|-------------|
| Pennzoil Bulk 5W-20 GF-5 | Conventional | 68101996CA |
| Pennzoil Bulk 5W-30 GF-5 | Conventional | 68101997CA |
| Pennzoil Bulk 10W-30 GF-5 | Conventional | 68101998CA |
| Rotella T 15W-40 CJ-4 | Conventional | 68101999CA |
| Pennzoil Platinum 5W-20 | Synthetic | 68232244CA |
| Pennzoil Platinum 5W-30 | Synthetic | 68232245CA |
| Rotella T6 5W-40 CJ-4 | Synthetic | 68232237CA |

Please download the "Mopar_® Bulk Oil Delivery Program — Dealer Enrolment Form" and complete it with your Service & Parts District Manager. Then fax or email it to the Mopar Bulk Oil Headquarters at 248-602-0653 or support@mboprogram.com.

If you require additional tanks, metering equipment or any other components to support your bulk lubricant program or any other shop needs, please refer to the Mopar Service Equipment Program at: www.moparessentialtools.com OR 1-855-298-2687.

Business development funds are available for FCA Canada Inc. dealerships for service-related equipment and Express Lane funding. For further details, please contact your Service & Parts District Manager or local Shell Representative.

*If your dealership is already enrolled and is simply looking to expand your bulk lubricant offering, please contact your current bulk distributor and they can make all of the appropriate arrangements.

**Bulk Oil is to be marketed to Wholesale Account as "Mopar Bulk Oil" only. Use of Shell Lubricant trademarks or the "Pennzoil" or "Rotella" brand name is strictly forbidden and may result in expulsion from the program at FCA Canada Inc.'s discretion.

Mopar_® Bulk Oil Delivery Program - Dealer Enrolment Form



| | Cameron Lewis | | | |
|----------------|--|-----------------------|--------------|---------------------------------|
| Attn: | Product Line Manager | | FAX: | 248.602.0653 |
| | Maintenance Portfolio | | | |
| | | | | |
| Please have | my dealership set up on the Mopar _® Bulk Oil De | elivery Program ASAP. | | |
| Dealer Na | me: | | | |
| Dealer Co | de: | | | |
| | | | | |
| | | | | |
| Type of Enroln | nent: | | | |
| ☐ FC | A Canada Dealer | □ Wholesale | Account | |
| L | | l e | | |
| | | | | |
| have read the | e below program requirements and need to be set | up as a: | | |
| □ VN | 11 customer | ☐ Call-in cus | tomer (via | the Shell MarketHub Web portal) |
| | | • | | |
| o' 1 1 1 - | | | | |
| | w confirms I have read and agree to all program | <u> </u> | n this form: | |
| Date | Dealership Name | Authorized Signature | | Title |
| | | | | |
| | | | | |

"Vendor Managed Inventory" Bulk Oil Program Participation Agreement

Our dealership wishes to participate in the Mopar Bulk Oil "Vendor Managed Inventory" Program. Through VMI, Shell Lubricants or an authorized distributor manages the inventory of bulk products. The intent of VMI is to ensure that the bulk oil product is always available for your dealerships by regular replenishment to refill tanks to their allocated tank capacity.

VMI Program Details

- FCA Canada Inc. (Mopar) agrees to deliver a supply of bulk oil through Shell Lubricants Branded Distributors on a schedule to be established by dealership usage volume.
- Dealership personnel will be responsible for verifying the quantity of oil delivered and signing the appropriate delivery documentation.
- FCA Canada Inc. (Mopar) will bill the dealership for the amount of oil delivered.
- The dealership agrees not to refuse a scheduled delivery; dealership should advise Mopar/Shell if special circumstances exist.

Benefits for the customer

- Enhanced delivery efficiencies
- Elimination of order placement process for all products on VMI
- Elimination of need for customer to monitor tank levels
- Assurance that tanks will be maintained within proper allocation levels by the local distributor

Customer Tank and Volume Requirements

- Must have their primary grade tank meet a minimum of 800 litres capacity. Additional secondary grades and tanks can be added to the program but must meet a minimum of 460 litres capacity.
- All bulk grades at the customer's location <u>must be</u> on the VMI program or the customer must place order via the Shell MarketHub web portal.
- No other products may be delivered to, or contained in the tanks listed in your Enrolment information form while you are
 enrolled in the Mopar Bulk Oil Delivery Program. Dealer must notify FCA Canada Inc. and Shell Canada if any changes are
 to occur.

Non-VMI Customer Bulk Oil Program Participation Agreement

If you do not meet all the requirements for VMI, you will be set up with access to Shell MarketHub for order placement.

- Minimum order quantities are 500 L total and 300 L per grade
- Order cut off time is 2 PM. Orders placed after 2 PM will have 1 working day added to the lead time.
- Standard delivery lead time is 5 working days. Extended lead times will exist for customers in remote areas. Orders must be placed using Shell MarketHub. For delivery status or order inquiries, please contact the Shell Customer Care Team via phone, fax or email at:

• Tel number: 1-855-691-2590

Email: customercare-ca@shell.com

• Fax number: 1-855-691-4368

- Operating Hours: Monday Friday, 8:00 am 8:00 pm EST (excluding public holidays)
- Parts Manager's email must be provided in the enrolment form below in order to be set up with access to Shell MarketHub

| FCA Canada Dealer Enrolment Information: (Wholesale Accounts: go-to Wholesale Account Enrolment Information) | | | | | | | | | | |
|--|--|--|---|---|---|---|--|--|---|--|
| | | | FCA CAN | NADA DEA | LER ENROL | MENT INF | ORMATION | J | | |
| Dealership Name | | | | | | | | | | |
| Dealer Code | | | | | | | | | | |
| Parts Mgr/Phone # | | | | | | Parts Mgr's | Email: | | | |
| Shell Customer # | | | | | | | | | (Intern | al Use Only) |
| Address | | | | | | | | | | |
| Street | | | | | | | | | | |
| Province | | | | | | | | | | |
| Postal Code | | | | | | | | | | |
| | Mopar SAE 5W-30 (Conventional) 68101997CA | Mopar SAE 5W-20 (Conventional) 68101996CA | Mopar SAE 10W-30 (Conventional) 68101998CA | Mopar SAE 15W-40 (Conventional) 68101999CB | Pennzoil Gold SAE 5W-20 (Synthetic Blend) 68258686CA | Pennzoil Gold SAE 5W-30 (Synthetic Blend) 68258688CA | Pennzoil Platinum SAE 5W-20 (Synthetic) 68232244CA | Pennzoil Platinum SAE 5W-30 (Synthetic) 68232245CA | Rotella T6 SAE 5W-40 CJ-4 (Synthetic) 68232237CB | Pennzoil Professional SAE 0W-20 (Synthetic) 68397238CA |
| Annual Volume | | | | | | | | | | |
| Weekly Volume | | | | | | | | | | |
| Number of Tanks | | | | | | | | | | |
| Tank 1: Tank Size | | | | | | | | | | |
| Tank 1: Heel Level | | | | | | | | | | |
| Tank 2: Tank Size | | | | | | | | | | |
| Tank 2: Heel Level | | | | | | | | | | |
| Delivery Frequency | | | | | | | (To | be completed | d by Shell rep | resentative) |
| Comments | | | | | | | | | | |

Wholesale Account Enrolment Information:

| FCA CANADA DEALER INFORMATION | | | | | | | | | | |
|-------------------------------|--|--|---|---|---|---|--|--|---|--|
| Dealership Name | | | | | | | | | | |
| Dealer Code | | | | | | | | | | |
| Parts Mgr/Phone # | | | | | | Parts Mgr's | Email: | | | |
| Shell Customer # | | | | | | | | | (Interr | nal Use Only) |
| | | | WH | OLESALE AC | COUNT INFO | RMATION | | | | |
| Customer Name | | | | | | | | | | |
| Dealer Code | | | | | | | | | | |
| Contact Name/Phone # | | | | | | | | | | |
| Previous Oil Supplier | | | | | | | | | | |
| Address | | | | | | | | | | |
| Street | | | | | | | | | | |
| Province | | | | | | | | | | |
| Postal Code | | | | | | | | | | |
| Shell Customer # | | | | | | | | | (Inte | rnal Use Only) |
| | Mopar SAE 5W-30 (Conventional) 68101997CA | Mopar SAE 5W-20 (Conventional) 68101996CA | Mopar SAE 10W-30 (Conventional) 68101998CA | Mopar SAE 15W-40 (Conventional) 68101999CB | Pennzoil Gold SAE 5W-20 (Synthetic Blend) 68258686CA | Pennzoil Gold SAE 5W-30 (Synthetic Blend) 68258688CA | Pennzoil Platinum SAE 5W-20 (Synthetic) 68232244CA | Pennzoil Platinum SAE 5W-30 (Synthetic) 68232245CA | Rotella T6 SAE 5W-40 CJ-4 (Synthetic) 68232237CB | Pennzoil Professional SAE 0W-20 (Synthetic) 68397238CA |
| Annual Volume | | | | | | | | | | |
| Weekly Volume | | | | | | | | | | |
| Number of Tanks | | | | | | | | | | |
| Tank 1: Tank Size | | | | | | | | | | |
| Tank 1: Heel Level | | | | | | | | | | |
| Tank 2: Tank Size | | | | | | | | | | |
| Tank 2: Heel Level | | | | | | | | | | |
| Delivery Frequency | (To be completed by Shell representative) | | | | | | | | | |
| Comments | | | | | | | | | | |

Approvals

| | Customer Contact | Dealer (Parts Mgr) | Wholesale Consultant |
|-----------|------------------|--------------------|----------------------|
| Name | | | |
| Signature | | | |
| Date | | | |

Please FAX your completed form to the Mopar Communication Centre: 248.602.0653

Don't let this opportunity for increased profits slide. Call your Chrysler/Jeep_®/Dodge/Ram/FIAT[®] dealer today!

CROSS REFERENCE INDEX

| U.S. PART NUMBER | CANADIAN PART NUMBER | DESCRIPTION | PAGE # |
|---------------------|-------------------------|---|--------|
| 04267020AD | 0VU01233AB | Antifreeze/Coolant 3-Year Formula – Embittered | 10 |
| 04318001AE | 0VU00788AB | Combustion Chamber Cleaner | 22 |
| 04318014AC | 0VU01202AB | Glass Cleaner | 31 |
| 04318039AE | 0VU00100AB | Penetrating Fluid | 23 |
| 04318080AD | 0BF00014AB | DOT 3 Brake Fluid | 20 |
| 04549625AE | 0BF00016AB | Brake & Clutch Fluid Dot 4 Motor Vehicle | 20 |
| 04549626AD | 0VU01463AB | Multi-Purpose Lube | 23 |
| 04883968AB | 0VU01268AC | Multi-Purpose Liquid Floor Cleaner | 31 |
| 04886330AD | 0MS00121 | Bug & Tar Remover | 28 |
| 04897156AD | 0VU01446AB | Throttle Body Cleaner | 22 |
| 04897623AD | 0MS00120 | Glass Cleaner | 31 |
| 05018045AC | 0VU01534AB | Electrical Contact Cleaner | 22 |
| 05019625AB | 0VU01535AB | Fuel System Cleaner | 7 |
| 05127394PC | 05127394CD | Pennzoil Platinum Euro 5W-40 (MS-10850) - 946 mL | 13 |
| 05166240PB | 05166240CB | Pennzoil Platinum 5W-20 (MS-6395) - 946 mL | 13 |
| 05166241PA | 05166241CA | Pennzoil Platinum 5W-30 (MS-6395) - 946 mL | 13 |
| 05166242PA | 05166242CA | Pennzoil Platinum 10W-30 (MS-6395) - 946 mL | 13 |
| 05174566AB | 0VU01440AB | Premium Fuel System Cleaning Kit | 7 |
| 68001332PB | 68001332CB | Rotella T6 5W-40 CK-4 (MS-10902) - 946 mL | N/A |
| 68001334PB | 68001334CB | Pennzoil Platinum Euro L (Diesel) 5W-30 (MS-11106) - 946 mL | 13 |
| 68048953AC | 0VU01524AC | Antifreeze/Coolant 5-Year/250,000-KM — Embittered | 10 |
| 68065196AB | 0VU01497AC | Brake & Parts Cleaner (390 Gram Aerosol Can) | 22 |
| 68101996AA | 68101996CA | Pennzoil 5W-20 (MS-6395) - 1 L (Bulk) | N/A |
| 68101997AA | 68101997CA | Pennzoil 5W-30 (MS-6395) - 1 L (Bulk) | N/A |
| 68101998AA | 68101998CA | Pennzoil 10W-30 (MS-6395) - 1 L (Bulk) | N/A |
| 68101999AB | 68101999CB | Pennzoil 15W-40 (MS-10902) - 1 L (Bulk) | N/A |
| 68146832PA | 68146832CA | Pennzoil Platinum 5W-20 (MS-6395) - 208.2 L | 13 |
| 68147411PB | 68147411CB | Rotella T6 5W-40 CK-4 (MS-10902) - 208.2 L | 13 |
| 68152004PA | 68152004CA | Pennzoil Platinum 0W-20 (MS-6395) - 946 mL | 13 |
| 68158590AD | 0VU01426AB | Fuel Injector Cleaner | 8 |
| 68163848AB | 68175338AC | Concentrate Antifreeze/Coolant 10-Year/240,000-KM | 10 |
| 68163849AB | 68175339AC | 50/50 Prediluted Antifreeze/Coolant 10-Year/240,000-KM | 10 |
| 68169968PA | 68169968CA | Pennzoil Gold 5W-20 (MS-6395) - 946 mL | N/A |
| 68169969PA | 68169969CA | Pennzoil Gold 5W-30 (MS-6395) - 946 mL | N/A |
| 68171066PB | 68171066CB | Pennzoil Ultra Platinum 0W-40 (MS-12633) - 946 mL | 13 |
| 68218041AA | 68218041CB | Gear & Axle Lubricant SAE 80W-90 | 17 |
| 68218043AA | 68218043CA | Gear & Axle Lubricant SAE 80W-90 (60 L) | 17 |
| 68218054AB | 68218054CB | ATF+4 [®] 208.2 L | 15 |
| 68218057AB | 68218057CC | ATF+4 946 mL | 15 |
| 68218058AC | 68218058CC | ATF+4 5 L | 15 |
| 68218065AB | 68218065CB | Pennzoil Platinum Euro 5W-40 (MS-10850) - 22.7 L (EcoBox) | N/A |
| 68218066AB | 68218066CA | Rotella T6 5W-40 CJ-4 (MS-10902) - 22.7 L (EcoBox) | N/A |
| 68218655AA | 68218655CB | Mopar 75W-90 Synthetic Gear Lube (MS-9763) - 946 mL | 17 |
| 68218656AA | 68218656CA | Synthetic Gear & Axle Lubricant SAE 75W-90 | 17 |
| 68218657AA | 68218657CB | Synthetic Gear & Axle Lubricant SAE 75W-140 (946 mL, 12) | 17 |
| 68218658AA | 68218658CA | Synthetic Gear & Axle Lubricant SAE 75W-140 60 L | 17 |
| 68218890AA | 68218890CB | Mopar Max Pro 5W-20 (MS-6395) - 946 mL | 14 |
| 68218891AB | 68218891CB | Mopar Max Pro 5W-20 (MS-6395) - 5 L | 14 |

CROSS REFERENCE INDEX

| U.S. PART NUMBER | CANADIAN PART NUMBER | DESCRIPTION | PAGE # |
|---------------------|-------------------------|--|--------|
| 68218892AA | 68218892CA | Mopar Max Pro 5W-20 (MS-6395) - 208.2 L | 14 |
| 68218897AA | 68218897CA | Pennzoil Platinum 5W-20 (MS-6395) - 22.7 L (EcoBox) | N/A |
| 68218920AA | 68218920CB | Mopar Max Pro 5W-30 (MS-6395) - 946 mL | 14 |
| 68218921AB | 68218921CB | Mopar Max Pro 5W-30 (MS-6395) - 5 L | 14 |
| 68218922AA | 68218922CA | Mopar Max Pro 5W-30 (MS-6395) - 208.2 L | 14 |
| 68218927AA | 68218927CA | Pennzoil Platinum 5W-30 (MS-6395) - 22.7 L (EcoBox) | N/A |
| 68218930AA | 68218930CB | Mopar Max Pro 10W-30 (MS-6395) - 946 mL | 14 |
| 68218931AB | 68218931CB | Mopar Max Pro 10W-30 (MS-6395) - 5 L | 14 |
| 68218932AA | 68218932CA | Mopar Max Pro 10W-30 (MS-6395) - 208.2 L | 14 |
| 68218940AB | 68218940CB | Mopar Max Pro Diesel XD-DPF 15W-40 CK-4 (MS-10902) - 946 mL | 14 |
| 68218941AB | 68218941CB | Mopar Max Pro Diesel XD-DPF 15W-40 CK-4 (MS-10902) - 5 L | 14 |
| 68218942AA | 68218942CB | Mopar Max Pro Diesel XD-DPF 15W-40 CK-4 (MS-10902) - 208.2 L | 14 |
| 68218950AB | 68218950CB | Mopar Max Pro Plus 0W-20 (MS-6395) - 946 mL | 14 |
| 68218951AB | 68218951CB | Mopar Max Pro Plus 0W-20 (MS-6395) - 5 L | 14 |
| 68218952AA | 68218952CA | Mopar Max Pro Plus 0W-20 (MS-6395) - 208.2 L | 14 |
| 68218956AA | 68218956CB | Pennzoil Platinum 0W-20 (MS-6395) - 22.7 L (EcoBox) | N/A |
| 68232237AA | 68232237CB | Rotella T6 5W-40 CK-4 (MS-10902) - 1 L (Bulk) | N/A |
| 68232244AA | 68232244CB | Pennzoil Platinum 5W-20 (MS-6395) - 1 L (Bulk) | N/A |
| 68232245AA | 68232245CA | Pennzoil Platinum 5W-30 (MS-6395) - 1 L (Bulk) | N/A |
| 68258686AA | 68258686CA | Pennzoil Gold 5W-20 (MS-6395) - 1 L (Bulk) | N/A |
| 68258688AA | 68258688CA | Pennzoil Gold 5W-30 (MS-6395) - 1 L (Bulk) | N/A |
| 68441882AA | 68441882CA | SAE 5W-30 Engine Oil | N/A |
| 68444159AA | 68444159CA | SAE 5W-30 Mopar Engine Oil | 14 |

NUMERICAL PART NUMBER INDEX

| PART NUMBER | ITEM | PAGE NO. |
|----------------|--|-------------|
| 04076274AB | Butyl Tape | 25 |
| 04318013AD | Chrome Cleaner | 28 |
| 04318020AE | Total Clean Trigger Spray | 31 |
| 04318031AB | Lock & Seal Adhesive | 25 |
| 04318035AC | Gasket Sealant | 25 |
| 04318060AD | Limited Slip Additive | 19 |
| 04318083AC | Gasket Maker | 25 |
| 04467708 | Silicone Windshield & Glass Sealer | 27 |
| 04467709AB | Bond-All Gel | 26 |
| 04728942AC | Cooling Coil Coating | 12 |
| 04773427AB | Weatherstrip Lubricant | 26 |
| 04773774AC | Weatherstrip Adhesive | 26 |
| 04796240AC | Tire Treatment | 28 |
| 04796268AB | Transmission Cooler Flush | 23 |
| 04796269AB | Brake Lubricant | 21 |
| 04798219AC | R-134a Leak Detection Dye | 9 |
| 04856593AC | Whitewall & Vinyl Top Cleaner | 29 |
| 04856977AC | Cooling System Flush | 11 |
| 04864015AD | Windshield Install Package | 26 |
| 04874464AB | Manual Transmission Lubricant | 18 |
| 04883065AB | Gear Marking Compound | 23 |
| 04883967AB | Phosphate-Free Car Wash | 30 |
| 04883971AC | Engine Sealant RTV Silicone Rubber Adhesive | 24 |
| 04886129AB | SP-15 A/C Compressor Lubricant | 12 |
| 04897618AB | Dispenser for Bag-In-Box | 27 |
| 04897840AD | Total Clean Trigger Spray | 31 |
| 05010042AC | 4-in-1 Leak Detection Dye | 9 |
| 05010884AD | ATF-RTV | 24 |
| 05012245AD | Cloth Top Cleaner Concentrate | 29 |
| 05012246AC | Cloth Top Treatment | 29 |
| 05012248AD | Jeep _® Soft Glass Window Cleaner | 28 |
| 05012249AC | Nickel Anti-Seize Lubricant | 23 |
| 05013477AD | Axle-RTV | 24 |
| 05013781AA | Nye® Dielectric Grease | 21 |
| 05015983AD | Rearview Mirror Adhesive | 27 |
| 05016796AC | Transfer Case Lubricant NV245/NV247/NV249 | 19 |
| 05019054AA | Anti-Squeak Tape | 27 |
| 05019056AA | Foam Tape | 27 |
| 05019058AA | Foam Tape | 27 |
| 05019059AB | Oil Lubricant | 27 |
| 05066440AB | Soft Top Zipper Cleaner & Lubricant | 29 |
| 05083150AA | Multi-Purpose Grease | 21 |
| 05127382AB | MB236.12 Automatic Transmission Fluid | 15 |
| 05127394CD | Pennzoil® Ultra SAE 5W-40 European Formula Full Synthetic | 13 |
| 05136035AC | Synthetic Axle Lubricant SAE 75W-85 | 18 |

| PART NUMBER | ITEM | PAGE NO. |
|----------------|--|-------------|
| 05139803AB | Premium Windshield Washer Solvent/De-Icer | 30 |
| 05139804AB | Rain Repellant Windshield Washer Fluid | 30 |
| 05161618AC | Coolant Leak Detection Dye | 9 |
| 05166240CB | Pennzoil SAE 5W-20 Platinum Full Synthetic | 13 |
| 05166241CA | Pennzoil SAE 5W-30 Platinum Full Synthetic | 13 |
| 05166242CA | Pennzoil SAE 10W-30 Platinum Full Synthetic | 13 |
| 05170022AB | Cooling Coil Cleaner | 12 |
| 05175050AB | Carpet Cleaner | 30 |
| 05179014AA | Transfer Case Lubricant NV246 | 19 |
| 05179671AA | Corrosion Inhibitor | 31 |
| 05189966AD | ASRC™ ATF | 15 |
| 05189977AB | ASRC™ ATF | 15 |
| 05191184AA | CVTF+4 Transmission Fluid | 15 |
| 05191185AC | CVTF+4 Transmission Fluid | 15 |
| 05191800AB | Premium Diesel Fuel Treatment | 8 |
| 0BF00013AB | DOT 3 Brake Fluid | 20 |
| 0BF00014AB | DOT 3 Brake Fluid | 20 |
| 0BF00015AB | DOT 3 Brake Fluid | 20 |
| 0BF00016AB | Brake & Clutch Fluid Dot 4 Motor Vehicle | 20 |
| 0MS00116 | Universal Wash | 31 |
| 0MS00120 | Glass Cleaner | 31 |
| 0MS00121 | Bug & Tar Remover | 28 |
| 0MS01000AB | Paint Sealant | 32 |
| 0MS01001AB | Fabric Protector | 32 |
| 0MS01002AB | Undercoat | 32 |
| 0MS01003AB | Rustproofing | 32 |
| 0MS01004AB | Leather and Vinyl Protector | 32 |
| 0VU00100AB | Penetrating Fluid | 23 |
| 0VU00788AB | Combustion Chamber Cleaner | 22 |
| 0VU01067 | Universal Wash | 31 |
| 0VU01068 | Universal Wash | 31 |
| 0VU01070AD | Engine Shampoo | 30 |
| 0VU01202AB | Glass Cleaner | 31 |
| 0VU01233AB | Antifreeze/Coolant 3-Year Formula - Embittered | 10 |
| 0VU01246AB | Fuel System Treatment | 8 |
| 0VU01268AC | Multi-Purpose Liquid Floor Cleaner | 31 |
| 0VU01282 | Cooling System Tune-Up Kit | 11 |
| 0VU01321AB | Windshield Washer Antifreeze | 30 |
| 0VU01418 | General Purpose High-Temp Wheel Bearing Grease | 21 |
| 0VU01421AB | Universal Wash | 31 |
| 0VU01426AB | Fuel Injector Cleaner | 8 |
| 0VU01440AB | Premium Fuel System Cleaning Kit | 7 |
| 0VU01441 | Fuel System Cleaner Application Tool | 7 |
| 0VU01443AB | Engine Shampoo | 30 |
| 0VU01446AB | Throttle Body Cleaner | 22 |

NUMERICAL PART NUMBER INDEX

| PART NUMBER | ITEM | PAGE NO. |
|----------------|--|-------------|
| 0VU01463AB | Multi-Purpose Lube | 23 |
| 0VU01491AB | Spray White Lube Lithium Grease | 23 |
| 0VU01497AC | Brake & Parts Cleaner Non-Chlorinated | 22 |
| 0VU01502AB | Brake & Parts Cleaner Non-Chlorinated | 22 |
| 0VU01524AC | Antifreeze/Coolant 5-Year/250,000-KM - Embittered | 10 |
| 0VU01532 | Premium Fuel System Service Kit | 8 |
| 0VU01534AB | Electrical Contact Cleaner | 22 |
| 0VU01535AB | Fuel System Cleaner | 7 |
| 0VU01788AB | Combustion Chamber Cleaner | 22 |
| 68001334CB | Pennzoil® Ultra Euro L 5W-30 Full Synthetic | 13 |
| 68001758AB | Transfer Case Lubricant NV146 | 19 |
| 68002256AB | Output Shaft Assembly Lubricant | 21 |
| 68028729AB | EGR System Cleaner | 24 |
| 68029698AC | Water Pump Lubricant | 11 |
| 68035321AB | Vitamol ZH-M Hydraulic Fluid | 19 |
| 68035704AC | Diesel Exhaust Fluid | 16 |
| 68044565AB | Diesel Turbocharger Cleaner | 24 |
| 68049954AA | Transfer Case Lubricant For BorgWarner 44-40 | 19 |
| 68056278AC | Diesel Exhaust Fluid | 16 |
| 68082860AB | Threebond™ Engine RTV | 24 |
| 68083381AA | Rear Axle Lubricant | 17 |
| 68088485AB | Electric Steering Pump Fluid | 20 |
| 68089195AA | Transfer Case Lubricant For BorgWarner 44-44 | 19 |
| 68092630AA | C Series Manual & Dual Dry Clutch Transmission Fluid | 18 |
| 68092636AA | C Series Manual & Dual Dry Clutch Transmission Fluid | 18 |
| 68092638AB | C Series DDCT SAE 75W Hydraulic Fluid | 18 |
| 68146832CA | Pennzoil SAE 5W-20 Platinum Full Synthetic | 13 |
| 68147411CB | Shell SAE 5W-40 Rotella T6 Full Synthetic | 13 |
| 68152004CA | Pennzoil SAE 0W-20 Platinum Full Synthetic | 13 |
| 68170681AB | RL-897 A/C Compressor Oil PAG Type | 12 |
| 68171006CB | Shell SAE 5W-40 Rotella T6 Full Synthetic | 13 |
| 68171066CB | Pennzoil Ultra SAE OW-40 Full Synthetic | 13 |
| 68171866AB | SP-IV Automatic Transmission Fluid | 15 |
| 68171869AB | SP-IV Automatic Transmission Fluid | 15 |
| 68175338AC | Concentrate Antifreeze/Coolant 10-Year/240,000-KM | 10 |
| 68175339AC | 50/50 Prediluted Antifreeze/Coolant 10-Year/240,000-KM | 10 |
| 68194640AB | Diesel Injector Cleaner | 7 |
| 68218041CB | Gear & Axle Lubricant SAE 80W-90 | 17 |
| 68218043CA | Gear & Axle Lubricant SAE 80W-90 | 17 |
| 68218054CB | ATF+4® | 15 |
| 68218057CC | ATF+4 | 15 |
| 68218058CC | ATF+4 | 15 |
| 68218064AC | Power Steering Fluid +4 | 20 |
| 68218654AA | Synthetic Gear Lubricant SAE 75W-90 | 17 |
| | | |

| PART NUMBER | ITEM | PAGE NO. |
|----------------|---|-------------|
| 68218655CB | Synthetic Gear Lubricant SAE 75W-90 | 17 |
| 68218656CA | Synthetic Gear & Axle Lubricant SAE 75W-90 | 17 |
| 68218657CB | Synthetic Gear & Axle Lubricant SAE 75W-140 | 17 |
| 68218658CA | Synthetic Gear & Axle Lubricant SAE 75W-140 | 17 |
| 68218890CB | SAE 5W-20 Mopar _® Engine Oil | 14 |
| 68218891CB | SAE 5W-20 Mopar Engine Oil | 14 |
| 68218892CA | SAE 5W-20 Mopar Engine Oil | 14 |
| 68218920CB | SAE 5W-30 Mopar Engine Oil | 14 |
| 68218921CB | SAE 5W-30 Mopar Engine Oil | 14 |
| 68218922CA | SAE 5W-30 Mopar Engine Oil | 14 |
| 68218925AB | ZF 8 & 9-Speed ATF® | 15 |
| 68218930CB | SAE 10W-30 Mopar Engine Oil | 14 |
| 68218931CB | SAE 10W-30 Mopar Engine Oil | 14 |
| 68218932CA | SAE 10W-30 Mopar Engine Oil | 14 |
| 68218940CB | SAE 15W-40 Mopar Engine Oil | 14 |
| 68218941CB | SAE 15W-40 Mopar Engine Oil | 14 |
| 68218942CB | SAE 15W-40 Mopar Engine Oil | 14 |
| 68218950CB | SAE 0W-20 Mopar Max Pro Plus | 14 |
| 68218951CB | SAE 0W-20 Mopar Max Pro Plus | 14 |
| 68218952CA | SAE 0W-20 Mopar Max Pro Plus | 14 |
| 68224028CB | Solstice R-1234YF A/C Refrigerant | 12 |
| 68224029CA | Solstice R-134YF A/C Refrigerant | 12 |
| 68224150AB | ND-12 Compressor Oil | 12 |
| 68224343CB | Pennzoil® SAE 5W-20 Platinum Full Synthetic | 13 |
| 68224344CB | Pennzoil SAE 5W-30 Platinum Full Synthetic | 13 |
| 68224345CB | Pennzoil SAE 10W-30 Platinum Full Synthetic | 13 |
| 68234631AA | Hydraulic System Power Steering Fluid | 20 |
| 68444159CA | SAE 0W-30 Mopar Engine Oil | 14 |
| 82300022AB | Hand Cleaner/Natural Citrus | 27 |
| 82300102AC | ND-OIL 8 A/C Compressor Oil PAG Type | 12 |
| 82300234AC | Silicone Rubber RTV | 25 |
| J8126688AB | Dielectric Grease | 21 |
| | | |











